



professional quality lighting  
designed for the hardscape industry

Made in the U.S.A. | [integral-lighting.com](http://integral-lighting.com) | 800.861.1364



*“Integral Lighting was easy to install, adding a pleasant ambience to our outdoor living area at night. They are a definite aesthetic and safety enhancement to our home.”*

*- Brian R.*

**we believe  
no hardscape should  
be left in the dark...**

At Integral Lighting, we want to improve your hardscape project with light. This is why we offer the most options, the most LED outputs and the most finishes in the hardscape lighting industry.

We care about all of the small details... from the design of the fixture itself, to how it will illuminate your choice of paver, to easy installation techniques, to how we can deliver it efficiently. We only release our fixtures after they have met our high standards for functionality and safety. Our company is shaping the future of outdoor lighting one light at a time.

Integral Lighting is proudly designed, manufactured, shipped and supported in Pennsylvania.

Discover how Integral Lighting can bring your project to life.



## about us

Don't Be Left in the Dark	2
Our Quality Difference	9
American Manufacturing	18
Personalized Service	24
Where to Buy	31
Technical Details	35
We Stand Behind Our Products	38

## our products

IL6000 Adjustable LED Hardscape Fixture	6
Stainless Steel Outdoor LED Kitchen Fixtures	8
Pavelux® LED Paver Inserts	12
IL4 LED Hardscape Fixture	14
IL6 LED Hardscape Fixture	16
IL300 LED Hardscape Fixture	20
IL600 LED Hardscape Fixture	22
IL6 Original Hardscape Fixture	26
IL18 Hardscape Fixtures	28
PL24 Paver Accent Fixtures	30
Accessories	33
Fixture Comparison	36

## customize your lighting

Finishes	34
LED Color Outputs	34





# IL6000

adjustable LED hardscape fixture


Regain control of your lighting system with our new IL6000 fixture. Designed and built with an adjustable bracket, the LED can pivot up to 45 degrees to direct light and remove hot spots from your wall. Each fixture is supplied with our new Thinsert®, an ultra thin stainless steel sleeve that slips over the insert plate to allow for easy extraction and reinsertion after installation.



IL6000.150.500 Stainless 3000K fixture shown with Thinsert® sleeve for easy extraction and reinsertion after installation



scan for more information  
or visit [integral-lighting.com](http://integral-lighting.com)



## Specs

- › Dimensions 6" width x .75" height x 3" depth
- › Stainless steel 20g alloy 304
- › Unibody construction
- › Stainless steel LED bracket adjusts up to 45 degrees
- › Supplied with Thinsert® sleeve
- › Low voltage 12vAC operation
- › 2 watt LED package
- › Output similar to 10 watts
- › LED life expectancy up to 40,000 hours
- › 72" long 18/2 leads for connection
- › Magnetic or electronic transformer compatible
- › Lifetime Limited Warranty
- › C/US UL Listed 1838 Low Voltage Landscape Lighting

## LED Color Outputs



2700K warm white  
add suffix .200 to model number



3000K pure white  
order as listed below



4200K cool white  
add suffix .400 to model number

## Fixture Finishes



IL6000.150.500  
Brushed Stainless Steel



IL6000.700.500  
Carbon



IL6000.710.500  
Textured Bronze



IL6000.730.500  
Platinum



IL6000.770.500  
Sandstone



IL624.150.500 24" Stainless 3000K fixture shown



scan for more information  
or visit integral-lighting.com

#### Specs

- › Various lengths available for project needs
- › Stainless steel 20g alloy 304
- › Unibody construction with blind fasteners
- › Integrated cleats for easy retrofits
- › Low voltage 12vAC operation
- › Energy efficient LED package
- › LED life expectancy up to 40,000 hours
- › 72" long 18/2 leads for connection
- › Magnetic or electronic transformer compatible
- › Lifetime Limited Warranty
- › C/US UL Listed 1838 Low Voltage Landscape Lighting

#### LED Color Outputs



2700K warm white  
add suffix .200 to model number



3000K pure white  
order as listed below



4200K cool white  
add suffix .400 to model number

#### Models



IL600.150.500  
Dimensions 6" width x .5" height  
2 watt LED package  
Output similar to 10 watts



IL612.150.500  
Dimensions 12" width x .5" height  
2 watt LED package  
Output similar to 10 watts



IL618.150.500  
Dimensions 18" width x .5" height  
4 watt LED package  
Output similar to 20 watts




IL624.150.500  
Dimensions 24" width x .5" height  
6 watt LED package  
Output similar to 30 watts

# stainless steel

## outdoor LED kitchen fixtures

Today's outdoor kitchens are planned with as much detail as their indoor counterparts, with lighting being a key component. Our premium stainless steel fixtures are designed to seamlessly match outdoor kitchens, grills and cabinetry. The LED modules are attached with no visible fasteners to allow placement versatility... easily install under a capstone or anywhere within the wall. Available in four varied lengths and the choice of three LED color outputs to match the desired look and feel of your cooking area.



*"I wish every company was as responsive and respectful of their customers!"*

- Kevin R.

## our quality difference...

We invented the original insert-able hardscape light over a decade ago. Since then, we have manufactured countless fixtures and lit thousands of hardscapes.

As an intentionally small company, our focus is on integrity, quality and value.

Our people... the employees at Integral Lighting are well trained, experienced lighting enthusiasts.

Our products... the lighting we manufacture delivers quality beyond what's expected. The basis of a quality product begins with the finest raw materials, and we make no exceptions. Our fixtures are tested and checked several times within each batch to confirm consistency.

Integral Lighting is committed to providing every customer with product and service held to the highest possible standards, assuring that our integrity, as well as yours, is never compromised.




- Wayne S.



# pavelux®

LED paver lighting inserts

Our pavelux® LED paver lighting inserts quickly and discreetly into your hardscape accent border. Our intentionally simple design provides subtle, unobtrusive lighting to your pathways, patios, driveways, gardens and more. Each fixture is strong and solid, molded from UV resistant polycarbonate and requires no cutting or drilling for installation. Create a perfect entry to your home with choices of three standard lengths, and two LED color outputs.



scan for more information  
or visit [integral-lighting.com](http://integral-lighting.com)



side view of Pavelux® installed

## Specs

- › Various lengths available to fit standard paver dimensions
- › Molded from UV resistant polycarbonate for durability
- › Integrated strain relief
- › Low voltage 12vAC operation
- › Energy efficient LED package
- › LED life expectancy up to 40,000 hours
- › 72" long 18/2 leads for connection
- › Magnetic or electronic transformer compatible
- › Lifetime Limited Warranty
- › C/US UL Listed 1838 Low Voltage Landscape Lighting

## LED Color Outputs



2400K ultrawarm white  
order model with suffix .550



3000K pure white  
order model with suffix .500

## Models



IP4.100.500  
4" length  
1 watt LED package  
3000K pure white



IP4.100.550  
4" length  
.25 watt LED package  
2400K ultrawarm white



IP6.100.500  
6" length  
2 watt LED package  
3000K pure white



IP6.100.550  
.5 watt LED package  
2400K ultrawarm white



IP8.100.500  
8" length  
2 watt LED package  
3000K pure white



IP8.100.550  
8" length  
.5 watt LED package  
2400K ultrawarm white



## IL4

LED hardscape fixture


Our IL4 LED is the best way to illuminate tight spaces or create a subtle ambience in your outdoor living area. Create visual “scenes” by accenting unique aspects of your property and increase the usability and security of your space after dark. This fixture is available with your choice of 19 durable finishes and three interchangeable LED color outputs.



IL4.250.500 Clay 3000K fixture shown



scan for more information  
or visit [integral-lighting.com](http://integral-lighting.com)



### Specs

- Dimensions 4" width x .5" height x 3" depth
- Heavy duty field-replaceable faceplate
- Self leveling insert is stainless steel 18g alloy 304
- 6-32 slotted copper, brass or stainless steel screws
- Low voltage 12vAC operation
- 1 watt LED package

- Output similar to 5 watts
- LED life expectancy up to 40,000 hours
- 72" long 18/2 leads for connection
- Magnetic or electronic transformer compatible
- Lifetime Limited Warranty
- C/US UL Listed 1838 Low Voltage Landscape Lighting

### LED Color Outputs



2700K warm white  
add suffix .200 to model number



3000K pure white  
order as listed below



4200K cool white  
add suffix .400 to model number

### Fixture Finishes

IL4.105.500 Solid Copper	IL4.125.500 Solid Brass	IL4.125A.500 Solid Antique Brass	IL4.150.500 Stainless Steel	IL4.200.500 Black	IL4.225.500 Bronze	IL4.250.500 Clay
IL4.275.500 Putty	IL4.300.500 Brick Red	IL4.325.500 White	IL4.350.500 Bone	IL4.375.500 Sand	IL4.400.500 Mud	IL4.425.500 Terracotta
IL4.450.500 Pebble	IL4.475.500 Stone	IL4.500.500 Slate	IL4.780.500 Light Concrete	IL4.790.500 Dark Concrete		



# IL6

## LED hardscape fixture


Allow your hardscape walls and columns to come to life in the evening hours. Our IL6 LED fixture is the most popular, with the perfect combination of slim profile, energy efficiency and generous LED output. All of our raw materials are strong, durable and noncorrosive to ensure they last the lifetime of your hardscape. This fixture is customizable with 19 professional finishes and three LED color outputs.



IL6.225.500 Bronze 3000K fixture shown



scan for more information  
or visit [integral-lighting.com](http://integral-lighting.com)



### Specs

- Dimensions 6" width x .5" height x 3" depth
- Heavy duty field-replaceable faceplate
- Self leveling insert is stainless steel 18g alloy 304
- 6-32 slotted copper, brass or stainless steel screws
- Low voltage 12vAC operation
- 2 watt LED package

- Output similar to 10 watts
- LED life expectancy up to 40,000 hours
- 72" long 18/2 leads for connection
- Magnetic or electronic transformer compatible
- Lifetime Limited Warranty
- C/US UL Listed 1838 Low Voltage Landscape Lighting

### LED Color Outputs



2700K warm white  
add suffix .200 to model number




3000K pure white  
order as listed below



4200K cool white  
add suffix .400 to model number

### Fixture Finishes





if made in America is important to you, Integral Lighting is a name you can trust...

As an intentionally small Pennsylvania company, we have remained committed as an American manufacturer for over 30 years.

We believe that US-sourced product is key to our success, as well as the success of our country. When you purchase Integral Lighting, whether it's a single light fixture, or a box of 50, you're encouraging both independent and economic growth. Keeping your dollars in the United States helps to strengthen your local neighborhoods, build fresh opportunities and create new jobs for small businesses everywhere.

Our integrity, quality products and exceptional service has kept us America's choice for hardscape lighting.





# IL300

LED hardscape fixture


At only three inches wide, the IL300 LED is our most compact fixture. The exceptionally discreet profile is designed to disappear until you need it... after dark. When lit in the evening hours, this fixture delivers a captivating glow, enhancing your home's outdoor features. Choose from 6 professional powder coated finishes and two LED color outputs.



IL300.710.550 Textured Bronze 2400K fixture shown



scan for more information  
or visit [integral-lighting.com](http://integral-lighting.com)



## Specs

- Dimensions 3" width x .5" height x 3" depth
- Stainless steel 20g alloy 304
- Unibody construction
- Integrated cleats for easy retrofits
- Low voltage 12vAC operation
- Energy efficient LED package
- LED life expectancy up to 40,000 hours
- 72" long 18/2 leads for connection
- Magnetic or electronic transformer compatible
- Lifetime Limited Warranty
- C/US UL Listed 1838 Low Voltage Landscape Lighting

## LED Color Outputs



2400K ultrawarm white  
.25 watt LED package  
Output similar to 4 watts  
order model with suffix .550




3000K pure white  
1 watt LED package  
Output similar to 5 watts  
order model with suffix .500

## Fixture Finishes



IL300.700.xxx  
Carbon



IL300.710.xxx  
Textured Bronze



IL300.730.xxx  
Platinum



IL300.770.xxx  
Sandstone



IL300.780.xxx  
Light Concrete




IL300.790.xxx  
Dark Concrete



IL600.780.550 Light Concrete 2400K fixture shown



scan for more information  
or visit [integral-lighting.com](http://integral-lighting.com)



#### Specs

- › Dimensions 6" width x .5" height x 3" depth
- › Stainless steel 20g alloy 304
- › Unibody construction
- › Integrated cleats for easy retrofits
- › Low voltage 12vAC operation
- › Energy efficient LED package
- › LED life expectancy up to 40,000 hours
- › 72" long 18/2 leads for connection
- › Magnetic or electronic transformer compatible
- › Lifetime Limited Warranty
- › C/US UL Listed 1838 Low Voltage Landscape Lighting

#### LED Color Outputs



2400K ultrawarm white  
.5 watt LED package  
Output similar to 8 watts  
order model with suffix .550




3000K pure white  
2 watt LED package  
Output similar to 10 watts  
order model with suffix .500

#### Fixture Finishes



IL600.700.xxx  
Carbon



IL600.710.xxx  
Textured Bronze



IL600.730.xxx  
Platinum



IL600.770.xxx  
Sandstone



IL600.780.xxx  
Light Concrete



IL600.790.xxx  
Dark Concrete

# IL600

LED hardscape fixture

Our IL600 LED fixtures are the lighting solution for easy retrofits and hardscape remodeling. It is simply the most versatile fixture in the hardscape lighting market. An overhanging block or cap is not required to hide this fixture, so it can easily be installed anywhere within the wall. If you have an existing hardscape and want to add light, look no further. Available and stocked in 6 textured finishes and choice of two LED outputs.



*"Excellent customer service - prompt, detailed and followed up with me to make sure I was satisfied."*

*- Tony D.*

*"Thank you so much for your support. Our front yard is truly a showcase in our community for which your company is to thank!"*

*- Debbie W.*



personalized service  
is our passion...

It all began with a simple fixture design and continues with exceptional service and a hassle-free warranty.

We manufacture lighting for the modern world, but we deliver good, old-fashioned customer service. From personally answering our phones during business hours, to helping with lighting designs and layouts, to troubleshooting and solving field-related concerns, we cover it all. We have a genuine interest in your goals and a sincere appreciation that you choose to do business with us.

Whether you're a distributor placing an order, a contractor needing support, or a homeowner requesting color samples, we strive to go above and beyond your expectations.



# IL6

the original insert-able wall fixture


Our IL6 is the “original” fixture that started the hardscape lighting revolution over a decade ago. The inventive design allows your hardscape to come to life at night, while simultaneously enhancing your home’s beauty, safety and value. This fixture is installed in thousands of hardscape projects across the USA and Canada. The IL6 is now available with your choice of a replaceable LED lamp in 2700K warm white or a long life Xenon bulb.



IL6.375.185 Sand LED lamp fixture shown



scan for more information  
or visit [integral-lighting.com](http://integral-lighting.com)



## Specs

- › Dimensions 6" width x .875" height x 3" depth
- › Heavy duty field-replaceable faceplate
- › Self leveling insert is stainless steel 18g alloy 304
- › 6-32 slotted copper, brass or stainless steel screws
- › Low voltage 12vAC operation

- › Nylon socket with brass contacts
- › 72" long 18/2 leads for connection
- › Magnetic transformer compatible
- › Lifetime Limited Warranty
- › C/US UL Listed 1838 Low Voltage Landscape Lighting

## Lamp Options



2700K warm white LED  
1 watt LED lamp  
Output similar to 10 watts  
add suffix .185 to model number



Long Life Xenon Bulb  
11.5 watts  
order as listed below


## Fixture Finishes





# IL18

LED or Xenon hardscape fixture



scan for more information  
or visit [integral-lighting.com](http://integral-lighting.com)

## Integrated LED Specs

- Dimensions 18" wide x .5" height x 3" depth
- Heavy duty field-replaceable faceplate
- Self leveling insert is stainless steel 18g alloy 304
- 6-32 slotted copper, brass or stainless steel screws
- Low voltage 12vAC operation
- 4 watt LED package
- Output similar to 20 watts
- Life expectancy up to 40,000 hours
- 72" long 18/2 leads for connection
- Magnetic or electronic transformer compatible
- C/US UL Listed 1838 Low Voltage Landscape Lighting

## Integrated LED Color Outputs



2700K warm white  
add suffix .200 to model number



3000K pure white  
add suffix .500 to model number



4200K cool white  
add suffix .400 to model number

## LED Lamp



2700K warm white LED  
2x 1 watt LED lamps  
Output similar to 20 watts  
add suffix .185 to model number

## Xenon Lamp



Long Life Xenon Bulbs  
2x 11.5 watts  
order as listed below

## Fixture Finishes





# PL24

paver accent lighting fixtures

Lighting offers a beacon of welcome along outdoor pathways and walkways. Complement your landscape project with our contemporary paver accent light. Creating a well-lit path to and around your home adds safety, convenience and curb appeal all in one step. The simple and sleek fixture profile is designed to integrate with all outdoor living designs. A heavy duty stainless steel mounting stake is included with every fixture.



PL24.225 Bronze Xenon fixture shown




LED 3000K underside view  
.250 Clay finish shown



Xenon underside view  
.225 Bronze finish shown



scan for more information  
or visit integral-lighting.com



## LED Specs

- Dimensions 24" height x 6" wide
- Stainless steel reflector and heavy duty tubing
- Stainless steel spade stake included
- Low voltage 12vAC operation
- 3 watt LED package
- Output similar to 15 watts
- Life expectancy up to 40,000 hours
- 72" long 18/2 leads for connection at perimeter of project
- Magnetic or electronic transformer compatible
- C/US UL Listed 1838 Low Voltage Landscape Lighting

## LED Color Outputs



2700K warm white  
add suffix .200 to model number



3000K pure white  
add suffix .500 to model number



4200K cool white  
add suffix .400 to model number


## Xenon Lamp



Long Life Xenon Bulb  
18 watts  
order as listed below

## Fixture Finishes

PL24.105 Solid Copper	PL24.125 Solid Brass	PL24.125A Solid Antique Brass	PL24.150 Stainless Steel	PL24.200 Black	PL24.225 Bronze	PL24.250 Clay
PL24.275 Putty	PL24.300 Brick Red	PL24.325 White	PL24.350 Bone	PL24.375 Sand	PL24.400 Mud	
PL24.425 Terracotta	PL24.450 Pebble	PL24.475 Stone	PL24.500 Slate	PL24.780 Light Concrete	PL24.790 Dark Concrete	



To purchase Integral Lighting fixtures, please visit our website for a distributor near you or call 800.861.1364.

[integral-lighting.com](http://integral-lighting.com)

Many Authorized Distributors stock our popular fixtures, colors and the required accessories for a successful installation. If you find something is not in stock, we ship all orders the same day. Our Distributors also have knowledge of low voltage lighting systems to assist you in a professional layout and design.


# accessories



## Thininsert®

An ultra-thin stainless steel sleeve that slips over the insert plate to allow for easy extraction and reinsertion of the fixture after service. Every IL6000 fixture is supplied with our Thininsert®.

IL200.640 for use with 6" fixtures



## LED Replacement Lamps

A replaceable 1 watt LED lamp is available for your Xenon fixtures. This LED easily inserts into the existing wedge base socket and has an approximate output of 10 watts in a 360 degree light distribution.

IL200.185 LED warm white 2700K output (5 pack)



## Integrator

A pre-installation stainless steel plate for mortar construction. Our fixtures insert easily after the mortared cap is installed. Includes Tapcon fasteners and conduit.

IL200.652 for use with 4" fixtures

IL200.650 for use with 6" fixtures

IL200.651 for use with 18" fixtures



## Resin 12vAC Electronic LED Transformer

IL200.515 Electronic 60 watt with interval timer and photocell

## Resin 12vAC Magnetic Transformers

IL200.500 Magnetic 60 watt with interval timer and photocell

IL200.552 Magnetic 150 watt with interval timer and photocell

## Professional Stainless Steel 12vAC Transformers

IL200.560 Magnetic 75 watt multi-tap 12/13/14/15 volts

IL200.561 Magnetic 150 watt multi-tap 12/13/14/15 volts

IL200.563 Magnetic 300 watt multi-tap 12/13/14/15 volts


IL200.565 Optional plug-in timer

IL200.566 Optional plug-in photocell

# customization

## Metals and Finishes

Our fixtures are available in 4 solid metals and 19 durable powder coated finishes. If you're having a difficult time deciding on the perfect finish for your project, visit [integral-lighting.com](http://integral-lighting.com) or call 800.861.1364 for a free color sample. An additional 100 custom powder coated finishes can be viewed at [integral-lighting.com](http://integral-lighting.com).



## LED Color Outputs

Our integrated LED fixtures are available in 4 popular color options to fit your needs or match existing outdoor lighting. View individual product pages to see which options are in stock and ready to ship the same day.



2400K ultrawarm white  
(similar to candlelight)



2700K warm white  
(similar to incandescent)



3000K pure white  
(similar to halogen)



4200K cool white  
(similar to fluorescent)

# technical details

## what you need to know about low voltage lighting

### Spacing

Start by determining your desired placement. We recommend 6' to 8' spacing between fixtures on a typical wall installation, depending on the type of atmosphere you want to create. For areas that need to be well-lit, such as steps or for security reasons, consider spacing your fixtures closer together or using a higher wattage lamp. For ambiance or accent lighting, consider spacing your fixtures further apart or using a lower wattage lamp.

### Sizing a Transformer

Add the total wattage of the lamps you are using. This determines the output required. When sizing a transformer for an LED installation, use the wattage consumed, not the output or brightness equivalent.

### Cable

Low voltage cable connects the transformer to the lighting fixtures. As a general rule, use a minimum gauge of 12/2 when your total run of cable is within 100' of the transformer.

Low voltage cable is designed for shallow burial directly in the soil only six inches deep. Low voltage cable has UV inhibitors in the jacket making it sunlight resistant.

### Parallel Run

This type of run is recommended as it allows all fixtures to draw current independent of the other fixtures. Refer to diagram below.

### Splices

The wire from the transformer needs to connect to the wires from the fixtures. Waterproof splices are required for proper LED function and life. Since landscape and hardscape lighting cables are buried underground, implementing the correct waterproof splice is important. Do not use insulation displacement or pierce point connectors as moisture will enter the cable, which will corrode and cause electrical resistance, ultimately compromising your system.

Your LED installation may benefit from our Electronic LED Transformer, which automatically adjusts for the load and delivers 12 volts AC consistently. Voltage consistency is key to long life expectancy in both incandescent and LED lamps.



### Use a Voltmeter

Testing and reading the voltage is an essential step for low voltage lighting systems. The voltage should be 12 volts or less at the first fixture to ensure the lamps or LEDs function for their rated life.

LED and lamp life expectancy are directly related to the voltage supplied to the fixture. Excessive voltage generates excess temperature and will shorten the life of your fixture. Excessive voltage by as little as 1/4 volt will reduce lamp life by 40%.

For accurate voltage readings, use an analog voltmeter to test electronic transformers and a digital voltmeter to test magnetic transformers.

### Dimming

All Integral Lighting fixtures are fully dimmable. Visit [integral-lighting.com](http://integral-lighting.com) to learn more about low voltage dimming and recommendations for controls based on the type of transformer you have installed.

### Mortar Applications

For ease of installation in 1/2" mortar beds or veneer stone walls, pre-install our stainless steel Integrator. It is mounted with the supplied fasteners prior to the installation of the capstone and has flexible conduit attached for an easy connection behind the wall. The fixture inserts easily after the mortared cap is installed and can be removed in the future for service or cleaning.

### UL Approved

Underwriters Laboratories has set forth the Standards for Safety in Landscape Lighting through the UL1838 standard. Our facility and product is inspected quarterly to ensure that you are supplied with consistency according to UL1838 Low Voltage Landscape Lighting Systems.

### Safety

As a safety precaution, always turn your power off and make sure the fixture has cooled before performing any maintenance, including cleaning, servicing or replacing lamps.

For additional design, technical or installation advice, please contact us. Call... 800.861.1364  
Email... [info@integral-lighting.com](mailto:info@integral-lighting.com)

## Integrated LED Fixtures


MODEL NO.	LENGTH	HEIGHT	DEPTH	LIGHT SOURCE	VOLTAGE	ENERGY CONSUMPTION	BRIGHTNESS COMMON FACTOR	LUMENS	COLOR APPEARANCE OPTIONS	ESTIMATED LIFE	DIMMABLE	MADE IN THE USA	FIND ON PAGE
IL300.xxx.500	3"	.5"	3"	LED	12vAC	1 watt	5 watts	60	3000K	40,000 hrs	Yes	Yes	20
IL300.xxx.550	3"	.5"	3"	LED	12vAC	.25 watt	4 watts	40	2400K	40,000 hrs	Yes	Yes	20
IL4.xxx.500	4"	.5"	3"	LED	12vAC	1 watt	5 watts	60	2700K 3000K 4200K	40,000 hrs	Yes	Yes	14
IL6.xxx.500	6"	.5"	3"	LED	12vAC	2 watts	10 watts	120	2700K 3000K 4200K	40,000 hrs	Yes	Yes	16
IL600.xxx.500	6"	.5"	3"	LED	12vAC	2 watts	10 watts	120	3000K	40,000 hrs	Yes	Yes	22
IL600.xxx.550	6"	.5"	3"	LED	12vAC	.5 watt	8 watts	80	2400K	40,000 hrs	Yes	Yes	22
IL6000.xxx.500	6"	.75"	3"	LED	12vAC	2 watts	10 watts	120	2700K 3000K 4200K	40,000 hrs	Yes	Yes	6
IL600.150.500	6"	.5"	3"	LED	12vAC	2 watts	10 watts	120	2700K 3000K 4200K	40,000 hrs	Yes	Yes	8
IL612.150.500	12"	.5"	3"	LED	12vAC	2 watts	10 watts	120	2700K 3000K 4200K	40,000 hrs	Yes	Yes	8
IL618.150.500	18"	.5"	3"	LED	12vAC	4 watts	20 watts	240	2700K 3000K 4200K	40,000 hrs	Yes	Yes	8
IL624.150.500	24"	.5"	3"	LED	12vAC	6 watts	30 watts	360	2700K 3000K 4200K	40,000 hrs	Yes	Yes	8
IL18.xxx.500	18"	.5"	3"	LED	12vAC	4 watts	20 watts	240	2700K 3000K 4200K	40,000 hrs	Yes	Yes	28

## LED Lamp and Xenon Fixtures

MODEL NO.	LENGTH	HEIGHT	DEPTH	LIGHT SOURCE	VOLTAGE	ENERGY CONSUMPTION	BRIGHTNESS COMMON FACTOR	LUMENS	COLOR APPEARANCE	ESTIMATED LIFE	DIMMABLE	MADE IN THE USA	FIND ON PAGE
IL6.xxx	6"	.875"	3"	Xenon Lamp	12vAC	11.5 watts	11.5 watts	120	2800K	10,000 hrs	Yes	Yes	26
IL6.xxx.185	6"	.875"	3"	LED Lamp	12vAC	1 watt	10 watts	120	2700K	30,000 hrs	Yes	Yes	26
IL18.xxx	18"	.875"	3"	Xenon Lamp	12vAC	23 watts	23 watts	240	2800K	10,000 hrs	Yes	Yes	28
IL18.xxx.185	18"	.875"	3"	LED Lamp	12vAC	2 watts	20 watts	240	2700K	30,000 hrs	Yes	Yes	28

## Pavelux® LED Paver Inserts

MODEL NO.	LENGTH	HEIGHT	WIDTH	LIGHT SOURCE	VOLTAGE	ENERGY CONSUMPTION	COLOR APPEARANCE			ESTIMATED LIFE	DIMMABLE	MADE IN THE USA	FIND ON PAGE
IP4.100.500	4"	2"	.75"	LED	12vAC	1 watt	3000K			40,000 hrs	Yes	Yes	12
IP4.100.550	4"	2"	.75"	LED	12vAC	.25 watt	2400K			40,000 hrs	Yes	Yes	12
IP6.100.500	6"	2"	.75"	LED	12vAC	2 watts	3000K			40,000 hrs	Yes	Yes	12
IP6.100.550	6"	2"	.75"	LED	12vAC	.5 watt	2400K			40,000 hrs	Yes	Yes	12
IP8.100.500	8"	2"	.75"	LED	12vAC	2 watts	3000K			40,000 hrs	Yes	Yes	12
IP8.100.550	8"	2"	.75"	LED	12vAC	.5 watt	2400K			40,000 hrs	Yes	Yes	12



"As an owner of a landscape design/build firm for over 20 years, we have tried many lighting products. Integral Lighting is the **ONLY** lighting we will install on each and every job. They are well built, withstand the test of time and are easily installed."

- Michael L.

## we stand behind our products...

At Integral Lighting, we believe in our products. If your Integral Lighting or pavelux® fixture has any defect as a result of the materials or workmanship, we will make it right.

Within 30 days of your purchase, return the product to your distributor and they will repair or replace it. Within 5 years of your purchase, return the product directly to us and we will repair or replace it. If, after 10 years of use, you experience an issue, return the product to us and we will repair it. You just pay for the parts.

Our warranty does not cover accident, abuse, mishandling, vandalism, unauthorized modifications or repair, normal wear or routine maintenance. The buyer is responsible for return shipping costs.

No more fine print or stipulations like other manufacturers. We simply stand behind our products.



- Lawrence B.



51 North Elm Street Wernersville, PA 19565   Phone: 800.861.1364   Fax: 800.388.2898   [integral-lighting.com](http://integral-lighting.com)

We reserve the right to incorporate changes and innovations which do not affect the performance of our products.  
Integral Lighting and Pavelux are registered trademarks of Hartman Design Inc. Patents [integral-lighting.com/patents](http://integral-lighting.com/patents). Other patents pending.  
Copyright 2019 Hartman Design Inc. Rev 0119.